


In the Claims:

Claim 1 (currently amended) A method of ~~inhibiting at least one activity~~
~~selected from the group consisting of phosphatases cdc-25 and phosphatase CD-45~~
treating human prostate cancer or human pancreas cancer in a warm-blooded animals
animal comprising administering to a warm-blooded animal in need thereof an inhibiting
amount of a compound of the formula



(I)

wherein

R¹ is selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, cycloalkyl, ~~-(CH₂)-X-Y, and -(CH₂)-Z-NR⁵R⁶-CHR³⁵R³⁶, R³⁵ and R³⁶ form together with the carbon atom which carries them an indanyl or tetralinyl, or R³⁵ and R³⁶ form together with the carbon atom which carries them a saturated heterocycle of 5 to 7 ring members and 1 to 2 heteroatoms selected from the group consisting of O, N and S, the nitrogen atoms of said heterocycle being optionally substituted by alkyl or benzyl,~~
R¹ also being able, when W is O, to represent carbocyclic aryl optionally substituted 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl and alkoxy,

X is a bond or alkylene of 1 to 5 carbon atoms,

~~Y is a saturated carbon-containing cyclic system containing 1 to 3 condensed rings selected individually from rings with 3 to 7 members, or Y is a saturated heterocycle containing 1 to 2 heteroatoms individually selected from the group consisting of O, N and S and attached to X radical by N or CH, said saturated heterocycle moreover containing 2 to 6 additional members independently selected from the group consisting of CHR^7 , CO , NR^8 , O and S, R^7 is hydrogen or alkyl and R^8 is selected from the group consisting of hydrogen, alkyl and aralkyl, or Y is a carbocyclic or heterocyclic aryl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, hydroxy, nitro, cyano, phenyl, SO_2NHR^9 and $\text{NR}^{10}\text{R}^{11}$, R^9 is selected from the group consisting of hydrogen, alkyl and phenyl, and R^{10} and R^{11} are independently alkyl,~~

Z is a bond or alkylene of 1 to 5 carbon atoms,

R^5 and R^6 are independently is selected from the group consisting of hydrogen, alkyl, aralkyl, and $\text{-(CH}_2\text{)}_n\text{-OH}$, n is an integer from 1 to 6, or R^5 is selected from the group consisting of alkoxycarbonyl, haloalkoxycarbonyl and aralkoxycarbonyl and R^6 is hydrogen or methyl, selected from the group consisting of hydrogen, alkyl, aralkyl and $\text{-(CH}_2\text{)}_n\text{-OH}$,

~~or R^5 and R^6 form together with the nitrogen atom a heterocycle of 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being independently selected from the group consisting of~~

~~$\text{CR}^{12}\text{R}^{13}$, O, S and NR^{14} , R^{12} and R^{13} are independently each time that they occur hydrogen or alkyl, and R^{14} is selected from the group consisting of hydrogen, alkyl and~~

~~aralkyl, or R^{14} is phenyl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl and alkoxy,~~

R^2 is hydrogen, alkyl and aralkyl;

~~or R^1 and R^2 form together with the nitrogen atom a heterocycle with 4 to 8 members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being at least one member selected from the group consisting of $CR^{15}R^{16}$, O, S and NR^{17} , R^{15} and R^{16} are independently each time that they occur hydrogen or alkyl, and R^{17} is selected from the group consisting of hydrogen, alkyl and aralkyl;~~

R^3 is selected from the group consisting of hydrogen, alkyl, haloalkyl, alkoxy and alkylthio;

R^4 is selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, cyano; and amino, CH_2COOR^{18} , $CH_2CONR^{19}R^{20}$ and $CH_2NR^{21}R^{22}$; or R^4 is a carbocyclic or heterocyclic aryl optionally substituted from 1 to 4 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy and $NR^{27}R^{28}$; or R^4 is phenyl possessing two substituents which form together a methylenedioxy or ethylenedioxy;

R^{18} is hydrogen or alkyl;

R^{19} is selected from the group consisting of hydrogen, alkyl and aralkyl, the aryl of which is optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, hydroxy, nitro, cyano; phenyl, SO_2NHR^{23} and $NR^{24}R^{25}$; R^{23} is selected from the group consisting of hydrogen;

atom or an alkyl or and phenyl radical, and R^{24} and R^{25} representing are independently alkyl radicals,

R^{20} is hydrogen or alkyl,

~~or R^{19} and R^{20} form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle at least one member selected from the group consisting of $CR^{26}R^{27}$, O, S and NR^{28} , R^{26} and R^{27} are independently each time that they occur selected from the group consisting of hydrogen or alkyl, and R^{28} is selected from the group consisting of hydrogen, alkyl and aralkyl, or R^{28} is phenyl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl alkoxy,~~

~~R^{21} is selected from the group consisting of hydrogen, alkyl and aralkyl, the aryl group of which is optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, hydroxy, nitro, cyano, phenyl, SO_2NHR^{29} and $NR^{30}R^{31}$, R^{29} is selected from the group consisting of hydrogen, alkyl and phenyl, and R^{30} and R^{31} are independently alkyl,~~

~~R^{22} is hydrogen or alkyl,~~

~~or R^{21} and R^{22} form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being independently selected from the group consisting of $CR^{32}R^{33}$, O, S and NR^{34} , R^{32} and R^{33} are independently each time that they occur hydrogen or alkyl, and R^{34} is hydrogen, alkyl and aralkyl, or R^{34} is phenyl optionally substituted from 1 to 3 times by substituents independently selected from the group consisting of halogen, alkyl and alkoxy,~~

~~R³⁷ and R³⁸ are independently hydrogen or alkyl or R³⁷ and R³⁸ form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being at least one member selected from the group consisting of CR³⁹R⁴⁰, O, S and NR⁴¹, R³⁹ and R⁴⁰ are independently each time that they occur a hydrogen or alkyl and R⁴¹ is hydrogen or alkyl; and~~

W is O or S;

or a pharmaceutically acceptable salt.

Cancel Claim 2 and Claim 3.

Claim 4 (currently amended) The method of claim 1 wherein:

- R¹ is selected from the group consisting of alkyl, cycloalkyl, alkoxyalkyl, ~~-(CH₂)-X-Y, -(CH₂)-Z-NR⁵R⁶ and -CHR³⁵R³⁶~~ and R² is selected from the group consisting of hydrogen, methyl, ethyl and benzyl or R¹ and R² form together with the nitrogen atom a heterocycle with 4 to 8 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being independently selected from the group consisting of CH₂, O and NR¹⁷, R¹⁷ is methyl or benzyl;

- R^3 is selected from the group consisting of hydrogen, ~~halogen~~, alkyl, alkoxy and alkylthio radical;
- R^4 is selected from the group consisting of alkyl, ~~$-\text{CH}_2-\text{COOR}^{18}$, $-\text{CH}_2-\text{CO}-\text{NR}^{19}\text{R}^{20}$~~
 $\text{CH}_2-\text{NR}^{21}\text{R}^{22}$ and a carbocyclic or heterocyclic aryl optionally substituted from 1 to 4 times by at least ~~one member selected from the group consisting of halogen, alkyl,~~
~~haloalkyl, alkoxy and $\text{NR}^{37}\text{R}^{38}$.~~

Claim 5 (previously presented) The method of claim 1 wherein R^1 is $-(\text{CH}_2)-\text{Z}-\text{NR}^5\text{R}^6$.

Cancel Claim 6 and 7.

Claim 8 (currently amended) The method of claim 1 wherein the compound is selected from the group consisting of:

- ~~2-methyl-5-[[2-(4-morpholinyl)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
- 5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- 5-[[6-(dimethylamino)hexyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- ~~5-[[3-(dimethylamino)-2,2-dimethylpropyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
- ~~2-methyl-5-[[3-(4-methyl-1-piperazinyl)propyl]amino]-1,3-benzothiazole-4,7-dione;~~
- 5-[(1-ethylhexyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- ~~5-[(1-adamantylmethyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
- ~~2-methyl-5-[(2-thienylmethyl)amino]-1,3-benzothiazole-4,7-dione;~~

~~5-[(3-chlorobenzyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
~~2-methyl-5-[(4-pyridinylmethyl)amino]-1,3-benzothiazole-4,7-dione;~~
 - 2-methyl-5-(propylamino)-1,3-benzothiazole-4,7-dione;
~~5-[(3-(1H-imidazol-1-yl)propyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
~~4-[2-[(2-methyl-4,7-dioxo-4,7-dihydro-1,3-benzothiazol-5-yl)amino]ethyl]-~~
~~benzenesulphonamide;~~
~~5-(4-benzyl-1-piperazinyl)-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 5-[(2-methoxyethyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~2-methyl-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-methyl-5-[(2-piperidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
 - 5-[[2-(diisopropylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~5-[(1-benzylpyrrolidin-3-yl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 5-[[3-(dimethylamino)propyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~2-methyl-5-[[2-(1-methylpyrrolidin-2-yl)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-methyl-5-[[3-(2-methylpiperidin-1-yl)propyl]amino]-1,3-benzothiazole-4,7-dione;~~
 - 5-[[4-(dimethylamino)butyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
 - 5-[[5-(dimethylamino)pentyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~5-(2,3-dihydro-1H-inden-1-ylamino)-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 5-{benzyl[2-(dimethylamino)ethyl]amino}-2-methyl-1,3-benzothiazole-4,7-dione;
~~tert-butyl-methyl[3-[(2-methyl-4,7-dioxo-4,7-dihydro-1,3-benzothiazol-5-yl)amino]-~~
~~propyl]carbamate;~~
~~tert-butyl-3-[(2-methyl-4,7-dioxo-4,7-dihydro-1,3-benzothiazol-5-~~
~~yl)amino]propylcarbamate;~~
 - 2-methyl-5-[[3-(methylamino)propyl]amino]-1,3-benzothiazole-4,7-dione;
 - 5-[(3-aminopropyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~6-chloro-5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
~~6-bromo-5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 6-(butylthio)-5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;

~~5-[[2-(dimethylamino)ethyl]amino]-2-(morpholin-4-ylmethyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-[(4-phenylpiperazin-1-yl)methyl]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(piperidin-1-ylmethyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[6-(dimethylamino)hexyl]amino]-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~6-[[6-(dimethylamino)hexyl]amino]-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-5-(4-methylpiperazin-1-yl)-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-6-(4-methylpiperazin-1-yl)-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-5-[(1-ethylhexyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-6-[(1-ethylhexyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-azocan-1-yl-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~6-azocan-1-yl-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-5-morpholin-4-yl-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-6-morpholin-4-yl-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-ethyl-6-methyl-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~5-[[6-(dimethylamino)hexyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~6-[[6-(dimethylamino)hexyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[4-(diethylamino)phenyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[4-(diethylamino)phenyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[4-(diethylamino)phenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~

~~2 [4 (diethylamino)phenyl]-6 [(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-chlorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-chlorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-chlorophenyl)-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-chlorophenyl)-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-chlorophenyl)-5-[[4-(dimethylamino)butyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-chlorophenyl)-6-[[4-(dimethylamino)butyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-fluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-fluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-bromophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-bromophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-bromophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-bromophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-bromophenyl)-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-bromophenyl)-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-chlorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-chlorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-chlorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (2-chlorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (3-bromophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (3-bromophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-bromophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-bromophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-bromophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2 (4-bromophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~

~~2-(4-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[(1-benzylpyrrolidin-3-yl)amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[(1-benzylpyrrolidin-3-yl)amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[[3-(dimethylamino)propyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[3-(dimethylamino)propyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~

~~2-(2,3-difluorophenyl)-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-fluoro-6-(trifluoromethyl)phenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-fluoro-6-(trifluoromethyl)phenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[3-(dimethylamino)propyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-1,3-benzoxazole-4,7-dione;~~
~~6-[[3-(dimethylamino)propyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~

~~2-[2-chloro-5-(trifluoromethyl)phenyl]-6-[[2-(dimethylamino)ethyl]amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-5-[[3-(dimethylamino)propyl]amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-6-[[3-(dimethylamino)propyl]amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[3,4-dimethoxyphenyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[3,4-dimethoxyphenyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[2-bromo-3-pyridyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~2-[2-bromo-3-pyridyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
 - 2-cyclohexyl-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;
 - 2-cyclohexyl-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;
~~2-cyclohexyl-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-cyclohexyl-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-thien-2-yl-1,3-benzothiazole-4,7-dione;~~


~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-thien-2-yl-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2-furyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2-furyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2-methoxyphenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2-methoxyphenyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~2-(2-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~

- 5-[[2-(dimethylamino)ethyl](ethyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- 5-[[2-(dimethylamino)ethyl](methyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- ~~2 [2,6-dichloro-5-fluoro-3-pyridyl] 5 {[2-(dimethylamino)ethyl]amino}-~~
~~1,3-benzoxazole-4,7-dione;~~
- ~~2 [2,6-dichloro-5-fluoro-3-pyridyl] 6 {[2-(dimethylamino)ethyl]amino}-~~
~~1,3-benzoxazole-4,7-dione;~~
- ~~2 [2,6-dichloro-5-fluoro-3-pyridyl] 5 [(2-pyrrolidin-1-ylethyl)amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
- ~~2 [2,6-dichloro-5-fluoro-3-pyridyl] 6 [(2-pyrrolidin-1-ylethyl)amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
- ~~2 (2,4-difluorophenyl) 5 {[2-(dimethylamino)ethyl]amino} 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~2 (2,4-difluorophenyl) 6 {[2-(dimethylamino)ethyl]amino} 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~5 {[2-(dimethylamino)ethyl]amino} 2 (2,3,4-trifluorophenyl) 1,3-benzoxazole 4,7-~~
~~dione;~~
- ~~6 {[2-(dimethylamino)ethyl]amino} 2 (2,3,4-trifluorophenyl) 1,3-benzoxazole 4,7-~~
~~dione;~~
- ~~5 [(2-pyrrolidin-1-ylethyl)amino] 2 (2,3,4-trifluorophenyl) 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~6 [(2-pyrrolidin-1-ylethyl)amino] 2 (2,3,4-trifluorophenyl) 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~2 (3-fluoro-4-methylphenyl) 5 {[2-(dimethylamino)ethyl]amino} 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~2 (3-fluoro-4-methylphenyl) 6 {[2-(dimethylamino)ethyl]amino} 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~2 (3-fluoro-4-methylphenyl) 5 [(2-pyrrolidin-1-ylethyl)amino] 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~2 (3-fluoro-4-methylphenyl) 6 [(2-pyrrolidin-1-ylethyl)amino] 1,3-benzoxazole-~~
~~4,7-dione;~~
- ~~2 (4-chlorophenyl) 5 {[2-(dimethylamino)ethyl]amino} 1,3-benzothiazole 4,7-dione;~~

~~2-(4-chlorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-chlorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-chlorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,4,6-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,4,6-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~2-(1,3-benzodioxol-5-yl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(1,3-benzodioxol-5-yl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(4-ethylphenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(4-ethylphenyl)-1,3-benzoxazole-4,7-dione;~~
~~2-(4-ethylphenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-ethylphenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2-fluoro-6-methoxyphenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2-fluoro-6-methoxyphenyl)-1,3-benzoxazole-4,7-dione;~~

or a pharmaceutically acceptable salt thereof.

Claim 9 (currently amended) A pharmaceutical composition for inhibiting human prostate cancer or human pancreatic cancer phosphatases cd25 and/or phosphatase CD45 comprising an inhibitorily effective amount of a compound of the formula



(I)_M

wherein R¹ is selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, cycloalkyl, ~~-(CH₂)-X-Y, and~~ -(CH₂)-Z-NR⁵R⁶ and -CHR³⁵R³⁶, R³⁵ and R³⁶ form together with the carbon atom which carries them indanyl or tetralinyl, or R³⁵ and R³⁶ form together with the carbon atom which carries them a saturated heterocycle containing 5 to 7 ring members and 1 to 2 heteroatoms selected from the group consisting of O, N and S, the nitrogen atoms of said heterocycle being optionally substituted by alkyl or benzyl,

~~R¹ also being able, when W is O, to represent carbocyclic aryl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl and alkoxy,~~

~~X is a bond or alkylene of 1 to 5 carbon atoms,~~

~~Y is a saturated carbon-containing cyclic system containing 1 to 3 condensed rings selected independently from rings with 3 to 7 members, or Y is saturated heterocycle containing 1 to 2 heteroatoms chosen independently from O, N and S and attached to X~~

~~by an N or CH member, said saturated heterocycle moreover containing 2 to 6 additional members selected from the group consisting of CHR^7 , CO , NR^8 , O and S , R^7 is hydrogen or alkyl and R^8 is selected from the group consisting of hydrogen, alkyl and aralkyl, or Y is a carbocyclic or heterocyclic aryl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, hydroxy, nitro, cyano, phenyl, SO_2NHR^9 and $\text{NR}^{10}\text{R}^{11}$, R^9 is hydrogen or alkyl or phenyl, and R^{10} and R^{11} are independently alkyl, Z is a bond or alkylene of 1 to 5 carbon atoms, R^5 and R^6 are independently is selected from the group consisting of hydrogen, alkyl, aralkyl, or $-(\text{CH}_2)_n\text{-OH}$ in which n is an integer from 1 to 6, or R^5 is selected from the group consisting of alkoxycarbonyl, haloalkoxycarbonyl and aralkoxycarbonyl and R^6 is hydrogen or methyl selected from the group consisting of hydrogen, alkyl, aralkyl and $-(\text{CH}_2)_n\text{-OH}$, or R^5 and R^6 form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being independently selected from the group consisting of $\text{CR}^{12}\text{R}^{13}$, O , S and NR^{14} , R^{12} and R^{13} are independently each time that they occur hydrogen or alkyl, and R^{14} is hydrogen, alkyl and aralkyl, or R^{14} is phenyl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl and alkoxy,~~
 R^2 is selected from the group consisting of hydrogen, alkyl and aralkyl;

~~or R¹ and R² form together with the nitrogen atom a heterocycle with 4 to 8 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being at least one member selected from the group consisting of CR¹⁵R¹⁶, O, S and NR¹⁷, R¹⁵ and R¹⁶ are independently each time that they occur hydrogen or alkyl, and R¹⁷ is selected from the group consisting of hydrogen, alkyl and aralkyl;~~

R³ is selected from the group consisting of hydrogen, halogen, alkyl, haloalkyl, alkoxy and alkylthio;

R⁴ is selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, cyano, and amino, ~~CH₂COOR¹⁸, CH₂CONR¹⁹R²⁰ and CH₂NR²¹R²², or R⁴ is a carbocyclic or heterocyclic aryl optionally substituted from 1 to 4 times by at least one member selected from a halogen, alkyl, haloalkyl, alkoxy, haloalkoxy and NR³⁷R³⁸, or R⁴ is phenyl possessing two substituents which form together methylenedioxy or ethylenedioxy, R¹⁸ is hydrogen or alkyl,~~

~~R¹⁹ is selected from the group consisting of hydrogen, alkyl and aralkyl, the aryl group of which is optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, hydroxy, nitro, cyano, phenyl, SO₂NHR²³ and NR²⁴R²⁵, R²³ is selected from the group consisting of hydrogen, alkyl and phenyl, and R²⁴ and R²⁵ are independently alkyl,~~

R²⁰ is hydrogen or alkyl,

~~or R¹⁹ and R²⁰ form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the~~

heterocycle being independently selected from the group consisting of $\text{CR}^{26}\text{R}^{27}$, O , S and NR^{28} , R^{26} and R^{27} are independently each time that they occur hydrogen or alkyl, and R^{28} is selected from the group consisting of hydrogen, alkyl and aralkyl, or R^{28} is phenyl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl and alkoxy,

R^{21} is selected from the group consisting of hydrogen, alkyl and aralkyl the aryl group of which is optionally substituted from 1 to 3 times by selected from the group consisting of halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, hydroxy, nitro, cyano, phenyl, $\text{SO}_2\text{NHR}^{29}$ and $\text{NR}^{30}\text{R}^{31}$, R^{29} is selected from the group consisting of hydrogen, alkyl and phenyl, and R^{30} and R^{31} are independently alkyl,

R^{22} is hydrogen or alkyl,

or R^{21} and R^{22} form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being at least one member selected from the group consisting of

$\text{CR}^{32}\text{R}^{33}$, O , S and NR^{34} , R^{32} and R^{33} are independently each time that they occur hydrogen or alkyl, and R^{34} is hydrogen, alkyl and aralkyl, or R^{34} is phenyl optionally substituted from 1 to 3 times by at least one member selected from the group consisting of halogen, alkyl alkoxy,

R^{37} and R^{38} are independently hydrogen or alkyl or

R^{37} and R^{38} form together with the nitrogen atom a heterocycle with 4 to 7 ring members comprising 1 to 2 heteroatoms, the members necessary for completing the heterocycle being at least one member selected from the group consisting of $\text{CR}^{39}\text{R}^{40}$, O , S and

~~NR⁴¹, R³⁹ and R⁴⁰ are independently each time that they occur hydrogen or alkyl, and R⁴¹ is hydrogen or alkyl; and~~

W is O or S;

~~it being understood that if W is S and R⁴ is optionally substituted aryl, then R¹ is selected from the group consisting of alkoxyalkyl, alkylthioalkyl, cycloalkyl, (CH₂)_n-X-Y and (CH₂)_n-Z-NR⁵R⁶;~~

or a pharmaceutically acceptable salt thereof and a pharmaceutical carrier.

Claim 10 (currently amended) A pharmaceutical composition of claim 9, wherein the compound is selected from the group consisting of:

- ~~2-methyl-5-[[2-(4-morpholinyl)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
- 5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- 5-[[6-(dimethylamino)hexyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- ~~5-[[3-(dimethylamino)-2,2-dimethylpropyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
- ~~2-methyl-5-[[3-(4-methyl-1-piperazinyl)propyl]amino]-1,3-benzothiazole-4,7-dione;~~
- 5-[(1-ethylhexyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- ~~5-[(1-adamantylmethyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
- ~~2-methyl-5-[(2-thienylmethyl)amino]-1,3-benzothiazole-4,7-dione;~~

~~5-[(3-chlorobenzyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
~~2-methyl-5-[(4-pyridinylmethyl)amino]-1,3-benzothiazole-4,7-dione;~~
 - 2-methyl-5-(propylamino)-1,3-benzothiazole-4,7-dione;
~~5-[(3-(1H-imidazol-1-yl)propyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
~~4-[2-[(2-methyl-4,7-dioxo-4,7-dihydro-1,3-benzothiazol-5-yl)amino]ethyl]-~~
~~benzenesulphonamide;~~
~~5-(4-benzyl-1-piperazinyl)-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 5-[(2-methoxyethyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~2-methyl-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-methyl-5-[(2-piperidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
 - 5-[[2-(diisopropylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~5-[(1-benzylpyrrolidin-3-yl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 5-[[3-(dimethylamino)propyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~2-methyl-5-[[2-(1-methylpyrrolidin-2-yl)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-methyl-5-[[3-(2-methylpiperidin-1-yl)propyl]amino]-1,3-benzothiazole-4,7-dione;~~
 - 5-[[4-(dimethylamino)butyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
 - 5-[[5-(dimethylamino)pentyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~5-(2,3-dihydro-1H-inden-1-ylamino)-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 5-{benzyl[2-(dimethylamino)ethyl]amino}-2-methyl-1,3-benzothiazole-4,7-dione;
~~tert-butyl-methyl[3-[(2-methyl-4,7-dioxo-4,7-dihydro-1,3-benzothiazol-5-yl)amino]-~~
~~propyl]carbamate;~~
~~tert-butyl-3-[(2-methyl-4,7-dioxo-4,7-dihydro-1,3-benzothiazol-5-~~
~~yl)amino]propylcarbamate;~~
 - 2-methyl-5-[[3-(methylamino)propyl]amino]-1,3-benzothiazole-4,7-dione;
 - 5-[(3-aminopropyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
~~6-chloro-5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
~~6-bromo-5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;~~
 - 6-(butylthio)-5-[[2-(dimethylamino)ethyl]amino]-2-methyl-1,3-benzothiazole-4,7-dione;

~~5-[[2-(dimethylamino)ethyl]amino]-2-(morpholin-4-ylmethyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-[(4-phenylpiperazin-1-yl)methyl]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(piperidin-1-ylmethyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[6-(dimethylamino)hexyl]amino]-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~6-[[6-(dimethylamino)hexyl]amino]-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-5-(4-methylpiperazin-1-yl)-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-6-(4-methylpiperazin-1-yl)-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-5-[(1-ethylhexyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-6-[(1-ethylhexyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-azocan-1-yl-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~6-azocan-1-yl-2-ethyl-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-5-morpholin-4-yl-1,3-benzoxazole-4,7-dione;~~
~~2-ethyl-6-morpholin-4-yl-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-ethyl-6-methyl-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~5-[[6-(dimethylamino)hexyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~6-[[6-(dimethylamino)hexyl]amino]-2-phenyl-1,3-benzoxazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[4-(diethylamino)phenyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[4-(diethylamino)phenyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[4-(diethylamino)phenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~

~~2-[4-(diethylamino)phenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-chlorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-chlorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-chlorophenyl)-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-chlorophenyl)-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-chlorophenyl)-5-[[4-(dimethylamino)butyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-chlorophenyl)-6-[[4-(dimethylamino)butyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-fluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-fluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-bromophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-bromophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-bromophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-bromophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-bromophenyl)-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-bromophenyl)-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-chlorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-chlorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-chlorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2-chlorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3-bromophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3-bromophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-bromophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-bromophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-bromophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-bromophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~

~~2-(4-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[(1-benzylpyrrolidin-3-yl)amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[(1-benzylpyrrolidin-3-yl)amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~5-[[3-(dimethylamino)propyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[3-(dimethylamino)propyl]amino]-2-(4-fluorophenyl)-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(3,5-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,5-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(2,3-difluorophenyl)-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~

~~2-(2,3-difluorophenyl)-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-~~
~~4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzoxazole-~~
~~4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-fluoro-6-(trifluoromethyl)phenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-fluoro-6-(trifluoromethyl)phenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~5-[[3-(dimethylamino)propyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~6-[[3-(dimethylamino)propyl]amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]-~~
~~1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-5-[[2-(dimethylamino)ethyl]amino]-~~
~~1,3-benzoxazole-4,7-dione;~~

~~2-[2-chloro-5-(trifluoromethyl)phenyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-5-(trifluoromethyl)phenyl]-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-5-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-6-[[3-(dimethylamino)propyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-chloro-6-fluorophenyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[3,4-dimethoxyphenyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[3,4-dimethoxyphenyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-bromo-3-pyridyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-[2-bromo-3-pyridyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
 - 2-cyclohexyl-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;
 - 2-cyclohexyl-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;
~~2-cyclohexyl-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-cyclohexyl-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-thien-2-yl-1,3-benzothiazole-4,7-dione;~~

~~6 [(2-pyrrolidin-1-ylethyl)amino]-2-thien-2-yl-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,5-dichlorothien-3-yl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2-furyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2-furyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2-methoxyphenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2-methoxyphenyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~2-(2-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-fluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-fluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(4-fluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(2,6-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~

- 5-[[2-(dimethylamino)ethyl](ethyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- 5-[[2-(dimethylamino)ethyl](methyl)amino]-2-methyl-1,3-benzothiazole-4,7-dione;
- ~~- 2-[2,6-dichloro-5-fluoro-3-pyridyl]-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-[2,6-dichloro-5-fluoro-3-pyridyl]-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-[2,6-dichloro-5-fluoro-3-pyridyl]-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-[2,6-dichloro-5-fluoro-3-pyridyl]-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(2,4-difluorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(2,4-difluorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 5-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
- ~~- 6-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
- ~~- 5-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,3,4-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
- ~~- 6-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,3,4-trifluorophenyl)-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(3-fluoro-4-methylphenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(3-fluoro-4-methylphenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(3-fluoro-4-methylphenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(3-fluoro-4-methylphenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
- ~~- 2-(4-chlorophenyl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~

~~2-(4-chlorophenyl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-chlorophenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~2-(4-chlorophenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2,3,4,5-tetrafluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(3,4,5-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~5-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,4,6-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~6-[(2-pyrrolidin-1-ylethyl)amino]-2-(2,4,6-trifluorophenyl)-1,3-benzothiazole-4,7-dione;~~
~~2-(1,3-benzodioxol-5-yl)-5-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(1,3-benzodioxol-5-yl)-6-[[2-(dimethylamino)ethyl]amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(4-ethylphenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(4-ethylphenyl)-1,3-benzoxazole-4,7-dione;~~
~~2-(4-ethylphenyl)-5-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~2-(4-ethylphenyl)-6-[(2-pyrrolidin-1-ylethyl)amino]-1,3-benzoxazole-4,7-dione;~~
~~5-[[2-(dimethylamino)ethyl]amino]-2-(2-fluoro-6-methoxyphenyl)-1,3-benzoxazole-4,7-dione;~~
~~6-[[2-(dimethylamino)ethyl]amino]-2-(2-fluoro-6-methoxyphenyl)-1,3-benzoxazole-4,7-dione;~~

or a pharmaceutically acceptable salt thereof.

Claims 11-12 (cancelled).

Cancel Claims 13 to Claim 15.